

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S80	7	(search\$3 found match\$3) near9 first adj table same second adj table and (@rlad<"20000425" @ad<"20000425") and "370"/\$. ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/06 12:58
L5	5	hash\$3 with first adj2 table same second adj2 table and (@rlad<"20000425" @ad<"20000425") and "370"/\$. ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/06 12:57
L2	46	host near5 table same network near4 table and ip adj address\$2 and (@rlad<"19990425" @ad<"19990425") and "370"/\$. ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/06 12:43
S79	6	mask\$3 near8 ip and first adj table same second adj table and (@rlad<"20000425" @ad<"20000425") and "370"/\$. ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/06 11:19
S74	11	first adj table same second adj table and mask\$3 with table\$1 and (@rlad<"20000425" @ad<"20000425") and "370"/\$. ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/06 11:11
S71	8	first adj2 table same second adj2 table same ip adj2 address\$2 and (@rlad<"20000425" @ad<"20000425") and "370"/\$. ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/03 20:58
S67	15	(unrecognized unknown) near4 destination adj3 address\$2 same ip and (@rlad<"20000425" @ad<"20000425") and "370"/\$. ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/03 20:54
S66	14	(unrecognized unknown) near4 destination near2 ip near2 address\$2 and (@rlad<"20000425" @ad<"20000425") and "370"/\$. ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/03 20:53
S65	2	(unrecognized unknown) near4 destination adj2 ip adj2 address\$2 and (@rlad<"20000425" @ad<"20000425") and "370"/\$. ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/03 20:51

S58	53	(find\$3 match\$3 found unrecognized unknown) near4 destination adj3 address same (subnetwork\$1 subnet\$1) and (@rlad<"20000425" @ad<"20000425") and "370"/\$. ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/03 20:49
S61	6	(subnetwork\$1 subnet\$1) adj table and (@rlad<"20000425" @ad<"20000425") and "370"/\$. ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/03 20:47
S57	52	(find\$3 match\$3 found unrecognized unknown) near4 destination adj2 address same (subnetwork\$1 subnet\$1) and (@rlad<"20000425" @ad<"20000425") and "370"/\$. ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/03 20:11
S55	2	(find\$3 match\$3 found unrecognized unknown) near4 destination adj address and (subnetwork\$1 subnet\$1) near2 (lookup table look-up) and (@rlad<"20000425" @ad<"20000425") and "370"/\$. ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/03 20:07
S49	46	destination adj address same destination near3 (subnetwork subnet) and (@rlad<"20000425" @ad<"20000425") and "370"/\$. ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/03 19:56
S46	3	ip adj2 address\$2 near3 destination with (subnetwork subnet) with (find\$3 found) and (@rlad<"20000425" @ad<"20000425") and "370"/\$. ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/03 18:37
S44	24	ip adj address\$2 near3 (lookup table) and (subnetwork subnet) near3 (lookup table) and (@rlad<"20000425" @ad<"20000425") and "370"/\$. ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/03 18:35
S41	90	ip adj address\$2 with table and (subnetwork subnet) with table and (@rlad<"20000425" @ad<"20000425") and "370"/\$. ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/03 18:33

S36	19	(MULTI-PROTOCOL MULTIPROTOCOL) adj2 (rout\$3 switch\$3) same layer adj (two "2") with layer adj ("3" three) and (@rlad<"20000425" @ad<"20000425") and "370"/\$. ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/03 18:23
S33	63	layer adj "2" near3 switch\$3 same layer adj "3" near3 switch\$3 and (@rlad<"20000425" @ad<"20000425") and ip same ethernet and "370"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/03 18:18
S31	77	layer adj "2" near3 switch\$3 same layer adj "3" near3 switch\$3 and (@rlad<"20000425" @ad<"20000425") and ip same ethernet	US-PGPUB; USPAT	OR	OFF	2005/09/03 18:05
S29	89	(ethernet) adj packet\$1 with ip adj packet\$1 and (@rlad<"20000425" @ad<"20000425")	US-PGPUB; USPAT	OR	OFF	2005/09/03 17:27
S28	112	(atm ethernet) adj packet\$1 with ip adj packet\$1 and (@rlad<"20000425" @ad<"20000425")	US-PGPUB; USPAT	OR	OFF	2005/09/03 17:26
S26	22	ethernet near4 switch\$3 with ip adj2 rout\$3 and (@rlad<"20000425" @ad<"20000425")	US-PGPUB; USPAT	OR	OFF	2005/09/03 17:25